


ercol

236 I Pero Tall Shelving Unit

Thank you for purchasing this shelving unit. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product. Installation shall be carried out exactly according to the manufacturers instructions, otherwise a safety risk can occur if incorrectly installed.


WARNING: In order to prevent overturning this product must be used with the wall attachment device provided.



Pre-assembly preparation

Please ensure instructions are read in full before attempting to assemble this product

Necessary Tools



Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing, please contact the retailer from whom you bought this product.

This product is **HEAVY**, it should be assembled as near as possible to the point of use. **TAKE CARE WHEN LIFTING** to avoid personal injury and (or) damage to the product.


The fittings pack contains **SMALL ITEMS** which should be **KEPT AWAY FROM YOUNG CHILDREN**.

Fittings and parts checklist


A	Allen key	
B	M6 socket screws bolts x20	
C	U shaped cable clip x10	
D	M5 50mm screws x2	

Step by step assembly instructions


- I. Attach the shelves to the uprights as shown in diagram I, using the 20 M6 bolts supplied



2. Attach the unit to the wall using appropriate fittings for your wall




Wall fixing - if in doubt seek professional advice




Wood

If fixing to wood make sure that it isn't chipboard as screws can easily pull away from the core structure



Brick or Masonry

Use an appropriate wall plug provided you are sure your wall is sound



Cavity wall


Special toggle wall plugs are needed. Seek expert advice

Place the shelving unit against the wall in its final position and mark the wall where the holes need to be drilled, see Diagram 2.

Move the unit away from the wall and drill the two holes.

Using fixings appropriate to your type of wall. See diagrams above. Put the shelving unit back against the wall and fix it to the wall.

Please use the u clips to attach any electrical flexes you may have to keep them tidy. See the diagram below for location of these clips into the ends of the shelves.



General care

Furniture with a shiny surface should also be dusted with a soft cloth. Polish the surfaces using only natural bees wax a maximum of twice a year.

Spray polishes should not be used as they contain silicones which may spoil the furniture's surface by building up over time. Use of cleaning materials containing abrasive compounds, acidic or caustic reagents and any bleaches containing oxidising reagents should be avoided as prolonged use may damage

General care the lacquered surface.

This furniture will endure most temperatures in the home but it is best to avoid placing furniture next to heat sources such as radiators or fires. Be particularly careful with solid wood as the lack of humidity caused by central heating can cause damage such as warping.

All timber surfaces will change colour and mellow over time. New furniture will initially vary in shade from items that have been previously purchased.

Warning

This unit is heavy use an assistant when lifting.

PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE

Ercol Furniture Ltd, Summerleys Road, Princes Risborough, Buckinghamshire. HP27 9PX

www.ercol.com